


Q1 The misuse, abuse, and diversion of prescription drugs, including opioid painkillers, has become a priority for consideration prior to prescribing/dispensing in my practice setting.

Answered: 244 Skipped: 0




Answer Choices	Responses	
Yes	85.25%	208
No	6.97%	17
Unsure	3.28%	8
Other (please specify)	4.51%	11
Total		244

Quantity Limits on Short Acting Opioid Painkillers

Q2 My role as a health care provider is the following:


Answered: 240 Skipped: 4



Answer Choices	Responses
Physician (MD, DO)	21.25% 51
Dentist, Nurse Practitioner, Physician Assistant, Podiatrist, Other Prescriber	23.75% 57
Pharmacist	40.42% 97
Pharmacy Technician	9.58% 23
Other (please specify)	5.00% 12
Total	240

Q3 I check the Prescription Drug Monitoring Program for the following: (select one best answer)


Answered: 108 Skipped: 136



Answer Choices	Responses
All patients no matter the circumstances or diagnosis	11.11% 12
Only new patients	0.93% 1
Any patient before prescribing a controlled dangerous substance ONLY. Examples include hydrocodone, oxycodone, alprazolam, benzodiazepine.	37.96% 41
Only for those patients I believe are suspected to be at risk of abuse, overdose or diversion.	25.00% 27
Never	5.56% 6
I am currently NOT registered/signed-up with the PMP	3.70% 4
Other (please specify)	15.74% 17
Total	108

Q4 Besides the required logging of Prescription Drug Monitoring dispensing report data, I check the PMP under the following circumstance:


Answered: 94 Skipped: 150



Answer Choices	Responses
For ALL patients filling prescriptions	1.06% 1
For only those patients that present with a controlled dangerous substance (CDS) prescription	24.47% 23
For only those patients/customers with a prescription from an unfamiliar prescriber	2.13% 2
For only those patients/customers that I feel are at risk of diversion, abuse or overdose	60.64% 57
Our current system does not allow individual pharmacists to check the PMP	1.06% 1
Never	1.06% 1
Other (please specify)	9.57% 9
Total	94

Q5 The quantity limit edit on short acting opioids, implemented by OHCA for SoonerCare members, impacted the prescription prescribing process and workflow in the following manner:


Answered: 235 Skipped: 9



Answer Choices	Responses
Not at all	21.70% 51
Minimal	40.43% 95
Medium	25.11% 59
High	10.21% 24
Very High	2.55% 6
Total	235

Q6 The OHCA quantity limit edit on short acting opioids was communicated to me by the following method (choose all that apply)

Answered: 233 Skipped: 11




Answer Choices	Responses
Press Release - media	3.86% 9
SoonerCare Pharmacy Update	28.76% 67
SoonerCare Provider Letter	35.19% 82
e-mail	13.30% 31
OHCA Website	11.16% 26
I do not recall receiving any communication	32.19% 75
Other (please specify)	9.87% 23
Total Respondents: 233	

Quantity Limits on Short Acting Opioid Painkillers

Q7 In your practice setting, the OHCA quantity limits have impacted which of the following medication management processes the most: (select all that apply)


Answered: 230 Skipped: 14



Answer Choices	Responses	Count
Prescribing	33.04%	76
Transcribing	0.43%	1
Dispensing	44.78%	103
Administering	3.48%	8
Monitoring	16.96%	39
Not at all (none)	11.30%	26
Other (please specify)	13.04%	30
Total Respondents: 230		

Q8 In my opinion, the quantity limits placed on short acting opioids has impacted SoonerCare patients in the following manner:


Answered: 228 Skipped: 16



Answer Choices	Responses	Count
Not at all	15.35%	35
Minimal	42.98%	98
Medium	25.44%	58
High	8.33%	19
Very High	2.63%	6
Other (please specify)	5.26%	12
Total		228

Q9 In my opinion, overall the quantity limits on short acting opioids will help to decrease prescription drug overdose death rates in the following manner:


Answered: 227 Skipped: 17



Answer Choices	Responses	Count
Not at all	15.86%	36
Minimal impact	37.89%	86
Medium	30.84%	70
High Impact	11.45%	26
Very High Impact	3.96%	9
Total		227

Q10 My primary work setting is the following:


Answered: 226 Skipped: 18



Answer Choices	Responses	
Prescriber (MD, DO, Dentist, Podiatrist, ARNP, PA)	48.67%	110
Pharmacy	51.33%	116
Total		226

Q11 Please select one of the following that best describes your practice setting:

Answered: 110 Skipped: 134




Answer Choices	Responses
General Practice - Clinic-Office	54.55% 60
Pain Management	3.64% 4

Quantity Limits on Short Acting Opioid Painkillers

Emergency Room	8.18%	9
Dentist	12.73%	14
ARNP	0.00%	0
Surgeon	1.82%	2
Physician Assistant (PA)	0.00%	0
Nurse	0.00%	0
Long Term Care	0.00%	0
Urgent Care	2.73%	3
Pediatrician	1.82%	2
OB\GYN	1.82%	2
Hospital	0.91%	1
Government	2.73%	3
Administration - Director - Manager	0.91%	1
Other (please specify)	8.18%	9
Total		110

Q12 Please select one of the following that best describes your practice setting

Answered: 118 Skipped: 126



Answer Choices	Responses
Community -Independent	72.03% 85
Community - Chain	18.64% 22
Specialty Pharmacy	1.69% 2
Long Term Care (Closed Door)	2.54% 3
Hospital	0.00% 0
Government	1.69% 2
Administrative - Director - Manager - Clinical	0.00% 0
Other (please specify)	3.39% 4
Total	118

Q13 Thank you for taking the time to complete this survey. Lastly, what comments or suggestions do you have to OHCA to help curb prescription drug abuse among SoonerCare members?

Answered: 105 Skipped: 139